


WEBENCH[®] Interface Report

Design : 1194016/2227



System Block Diagram





Transmission Medium







Channel1





Channel2



Simulation Settings

General Parameters:

Data Rate: 4.0E9 Number of UI: 10000.0
SamplesPerBit: 32 Data Pattern: Squire Wave
Jitter RMS: 0.0 BER Extrapolation: false

TX Parameters

#	Name	Value
1.	SlewTime	10
2.	Pre	0
3.	Pst1	0
4.	Pst2	0
5.	Swing	1000


SC RX Parameters

#	Name	Value
1.	EQ	0


SC TX Parameters

#	Name	Value
1.	OS	0
2.	DE	0


Simulation Results




Name: TX_OUT_PT1 Height:0.984 Width:0.984 Jitter:0.016




Name: SC_IN_PT1 Height:0.911 Width:0.977 Jitter:0.023




Name: OUT_PT1 Height:0.525 Width:0.867 Jitter:0.133



Name: SC_OUT_PT2 Height:1.12 Width:0.859 Jitter:0.141



Name: RX_IN_PT2 Height:1.075 Width:0.859 Jitter:0.141



Name: OUT_PT2 Height:1.075 Width:0.859 Jitter:0.141

Design Assistance

SCPartname Production folder: <http://www.ti.com/product/TUSB501>

Texas Instruments' WEBENCH simulation tools attempt to recreate the performance of a substantially equivalent physical implementation of the design. Simulations are created using Texas Instruments' published specifications as well as the published specifications of other device manufacturers. While Texas Instruments does update this information periodically, this information may not be current at the time the simulation is built. Texas Instruments does not warrant the accuracy or completeness of the specifications or any information contained therein. Texas Instruments does not warrant that any designs or recommended parts will meet the specifications you entered, will be suitable for your application or fit for any particular purpose, or will operate as shown in the simulation in a physical implementation. Texas Instruments does not warrant that the designs are production worthy.

You should completely validate and test your design implementation to confirm the system functionality for your application prior to production.

Use of Texas Instruments' WEBENCH simulation tools is subject to [Texas Instruments' Site Terms and Conditions of Use](#). Prototype boards based on WEBENCH created designs are provided AS IS without warranty of any kind for evaluation and testing purposes and are subject to the terms of the [Evaluation License Agreement](#).